Volume 288 1994

Contents

Editorial

Evolution of the editorial policy of Astronomy and Astrophysics E1

Letters to the Editor

"Guest stars", sample completeness and the local supernova rate
Strom R.G. L1

"Fossil" symbiotic novae
Lewis B.M. L5

Empirical masses and radii for the luminous binary Sk–67°105 in the LMC
Haefner R., Simon K.P., Fiedler A. L9

SZ Cam – early-type eclipsing binary with a third body
Mayer P., Lorenz R., Chochol D., Irsmambetova T.R. L13

On the nature of pulsar radio-emission
Xilouris K.M., Kramer M., Jessner A., Wielebinski R. L17

A giant emission line arc in the intermediate redshift radio galaxy PKS 2250–41
Tadhunter C., Shaw M., Clark N., Morganti R. L21

Detection of H 21α maser emission at 662 GHz in MWC 349
Thum C., Matthews H.E., Harris A.I., Tacconi L.J., Schuster K.F., Martín-Pintado J. L25

Hydrodynamical 3D Bondi-Hoyle accretion onto the Galactic Center blackhole candidate Sgr A
Ruffert M., Melia F. L29

Dust at high z
Chini R., Krügel E. L33

PAH emission in XX Ophiuchi
Evans A. L37

A search for millimeterwave CO emission in damped Lyman-α systems
Wiklind T., Combes F. L41

The spectra and luminosity of super-soft X-ray sources
Heise J., van Teeseling A., Kahabka P. L45

The lognormal properties of the soft gamma-ray repeater SGR 1806–20 and the Vela pulsar
Hurley K.J., McBreen B., Rabbette M., Steel S. L49

Cosmology

Variability of microlensing light curves. I. Autocorrelation method and the calculation of the correlated deflection probability
Seitz C., Schneider P. 1

Variability of microlensing light curves. II. Magnification fluctuations, autocorrelation functions, and applications to QSO 2237+0305
Seitz C., Wambsganss J., Schneider P. 19

Analysis of the kinematical behaviour of the near universe. II. Voids
Goicoechea L.J. 30

Testing higher-order Lagrangian perturbation theory against numerical simulations. I. Pancake models
Buchert T., Melott A.L., Weiß A.G. 349

Robust morphological measures for large-scale structure in the Universe
Mecke K.R., Buchert T., Wagner H. 697

Extragalactic astronomy

Analytical study of adiabatic black hole growth in spherical stellar systems
Cipollina M., Bertin G. 43

Abundance ratios in ellipticals and galaxy formation
Matteucci F. 57

Sub-arcsecond resolution 2D spectrography of the central regions of NGC 1275 with TIGER
Ferruit P., Pécontal E. 65

The angular correlation function of the soft X-ray background
Soltan A., Hasinger G. 77

Statistical determination of line-of-sight velocity membership of galaxy clusters
Zhao J.L., Shao Z.Y. 89

On the gamma-ray emission from Markarian 421
Cheng K.S., Ding W.K.Y. 97

Narrow-band imaging of fields around optically-thick absorption systems: the line-of-sight towards Q 0000–2619
Giavalisco M., Macchetto F.D., Sparks W.B. 103

Radio observations of the Coma cluster of galaxies and its immediate vicinity. III. Statistical analyses and source counts
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. 122

2.1 μm images of the evolved stellar disk and the morphological classification of spiral galaxies
Block D.L., Bertin G., Stockton A., Grosbøl P., Moorwood A.F.M., Peletier R.F. 365

Imaging in the optical and near-infrared regimes. II. Arcsecond spatial resolution of widely distributed cold dust in spiral galaxies
Block D.L., Witt A.N., Grosbøl P., Stockton A., Moneti A. 383

NGC 1569: identification from CaII infrared line spectra of the objects A, B as superluminous star clusters
Prada F., Greve A., McKeith C.D. 396

Quantitative morphology of E-S0 galaxies. IV. Ellipticals and lenticulars as a single population
Michard R. 401

The massive star content of the blue dwarf galaxy IZw 36 from Faint Object Camera observations
Deharveng J.-M., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Disney M.J., Jakobsen P., Kamperman T.M., King I.R., Macchetto F., Mackay C.D., Paresce F., Weigelt G., Baxter D., Greenfield P., Jedrzejewski R., Nota A., Sparks W.B. 413

Long-slit spectroscopy of three low-luminosity Seyfert 1 galaxies
Schulz H., Knake A., Schmidt-Kaler T. 425

Multi-wavelength monitoring of the BL Lacutae Object PKS 2155–304. II. The ROSAT Observations
Brinkmann W., Maraschi L., Treves A., Urry C.M., Warwick R., Siebert J., Wagner S., Edelson R., Fink H., Madejski G. 433

Evolution of spiral structure in an interacting triple galactic system. I. M 31-type systems
Vozikis C.L., Caranicolas N.D. 448

Size and physical conditions of the coronal line region in a nearby Seyfert 2: the Circinus galaxy
Oliva E., Salvati M., Moorwood A.F.M., Marconi A. 457

HI deficiency in the Coma I cloud of galaxies
García-Barreto J.A., Downes D., Huchtmeier W.K. 705

Bursting and stationary star formation in disks and nuclei of galaxies
Firmani C., Tutukov A.V. 713

Strong intraday variability in the southern blazar PKS 0537–441 at 1.42 GHz
Romero G.E., Combi J.A., Colomb F.R. 731

ROSAT X-ray survey of an area 10 degrees square around the active radio galaxy Centaurus A
Arp H. 738

Is there a β-problem in clusters of galaxies?
Gerbal D., Durret F., Lachièze-Rey M. 746

Galactic structure and dynamics

Distant A- and F-stars in a low latitude field. Probes of interstellar reddening and Galactic structure
Jønch-Sørensen H., Knude J. 139

Galactic orbits of the old open clusters NGC 188, NGC 2682, NGC 2420, NGC 752 and NGC 2506
Carraro G., Chiosi C. 751

The magnetic field in the disk of our Galaxy
Han J.L., Qiao G.J. 759

Stellar clusters and associations

Discovery of multiple X-ray sources in 47 Tucanae
Hasinger G., Johnston H.M., Verbunt F. 466

Formation, structure and evolution of stars

Numerical simulation of three-dimensional self-gravitating flow
Shebalin J.V. 150

HD 37151: a new "slowly pulsating B star"
North P., Paltani S. 155

Is ESO Hα 279 a pre-main sequence binary?
Aspin C., Reipurth B., Lehmann T. 165

Accretion disk evaporation by a coronal siphon flow
Meyer F., Meyer-Hofmeister E. 175

A spherical treatment of slightly distorted rotating stars
Kähler H. 183

Rotational effects on stellar structure and stability
Kähler H. 191

1H 1752+081: a new eclipsing probable AM Herculis-type binary
Barwig H., Ritter H., Bärnbantner O. 204

Simultaneous observations of γ-ray bursts with Phebus/Granat and Ulysses GRB
Atteia J.-L., Barat C., Boer M., Dezalay J.-P., Niel M., Talon R., Vedrenne G., Hurley K., Sommer M., Sunyaev R., Kuznetsov A., Terekhov O. 213

High sensitivity dynamic spectral search for flare star radio bursts
Abada-Simon M., Lecacheux A., Louarn P., Dulk G.A., Belkora L., Bookbinder J.A., Rosolen C. 219

SIGMA/GRANAT observations of the bright nearby millisecond pulsar PSR J0437–4715
Barret D., Stephen J.B., Olive J.F., Mandrou P., Laurent P., Denis M., Claret A., Cordier B., Churazov E., Gilfanov M., Sunyaev R., Dyachkov A., Khavenson N., Kuleshova N., Kovtunenko V., Sukhanov K. 472

Monte-Carlo simulations of binary stellar evolution in young open clusters
Pols O.R., Marinus M. 475

Coordinated observations of the red dwarf flare star EV Lacertae in 1991
Alekseev I.Y., Gershberg R.E., Ilyin I.V., Shakhovskaya N.I., Shakhovskoy N.M., Avgoloupis S., Mavridis L.N., Seiradakis J.H., Kidger M.R., Panferova I.P., Pustil'nik L.A. 502

On the newly discovered 3.4 hour modulated X-ray source (RX J1940.1–1025) near NGC 6814
Staubert R., König M., Friedrich S., Lamer G., Sood R.K., James S.D., Sharma D.P. 513

Photometric and Hα observations of LSI +61°303: detection of a ~26 day V and JHK band modulation
Paredes J.M., Marziani P., Martí J., Fabregat J., Coe M.J., Everall C., Figueras F., Jordi C., Norton A.J., Prince T., Reglero V., Roche P., Torra J., Unger S.J., Zamanov R. 519

Surface imaging of late-type contact binaries I: AE Phoenicis and YY Eridani
Maceroni C., Vilhu O., van 't Veer F., Van Hamme W. 529

Super-soft X-ray sources in the fields of the Magellanic Clouds
Kahabka P., Pietsch W., Hasinger G. 538

Roche tomography: imaging the stars in interacting binaries
Rutten R.G.M., Dhillon V.S. 773

Synthetic AGB evolution. IV. Long-period variables in the LMC
Groenewegen M.A.T., de Jong T. 782

ROSAT soft X-ray observations of the supergiant X-ray binary Vela X-1
Haberl F. 791

The soft component in the X-ray spectrum of 4U 1700–37
Haberl F., Aoki T., Mavromatakis F. 796

(RN) Near-IR monitoring of the pre-main sequence star SSV 13: October 1990 to December 1993
Aspin C., Sandell G. 803

Hydrodynamic calculations of accretion discs in close binaries. The superhump phenomenon
Heemskerk M.H.M. 807

High resolution spectroscopy of symbiotic stars. I. SY Muscae: orbital elements, M giant radius, distance
Schmutz W., Schild H., Mürset U., Schmid H.M. 819

Rotation and lithium depletion in late-type binaries
Zahn J.-P. 829

Extragalactic symbiotic systems. I. IUE observations of LMC 1, N 67, SMC 3, and S 154
Vogel M., Morgan D.H. 842

Near-IR imaging photometry of the J–K>4 sources in the Lk Hα 101 infrared cluster
Aspin C., Barsony M. 849

Stellar atmospheres

Hydrodynamic atmosphere models for hot luminous stars
Schaerer D., Schmutz W. 231

Theoretical spectra of circumstellar dust shells around carbon-rich asymptotic giant branch stars
Winters J.M., Dominik C., Sedlmayr E. 255

Optical spectra of ζ Aurigae binary systems. VI. The chromosphere of 22 Vulpeculae
Schröder K.-P., Griffin R.E.M., Hünsch M. 273

The C/O abundance ratio in the detached circumstellar envelopes around carbon stars
Bujarrabal V., Cernicharo J. 551

Observational evidence for a prograde one-armed density structure in the equatorial disc of a Be star
Telting J.H., Heemskerk M.H.M., Henrichs H.F., Savonije G.J. 558

A new chemical model of the circumstellar envelope surrounding IRC +10216
Millar T.J., Herbst E. 561

The non-LTE formation of Li I lines in cool stars
Carlsson M., Rutten R.J., Bruls J.H.M.J., Shchukina N.G. 860

Multiple scattering of polarized radiation in circumstellar dust shells
Voshchinnikov N.V., Karjukin V.V. 883

Diffuse matter in space (including H II regions and planetary nebulae)

Multi-wavelength study of NGC 281 A
Henning T., Martin K., Reimann H.-G., Launhardt R., Leisawitz D., Zinnecker H. 282

The exciting star of the small bubble N 120A in the Large Magellanic Cloud
Laval A., Gry C., Rosado M., Marcelin M., Greve A. 572

OH absorption in DR 21 and K 3–50 revisited
Jones K.N., Field D., Gray M.D., Walker R.N.F. 581

A CO and CS study of three low luminosity PMS candidates in Chamaeleon II
Olmi L., Felli M., Prusti T. 591

Studies of dense molecular cores in regions of massive star formation. CS $J = 2–1$ and HCN $J = 1–0$ observations of 11 northern cores
Zinchenko I., Forsström V., Lapinov A., Mattila K. 601

Bidimensional spectral analysis of NGC 6302
Bohigas J. 617

Near-infrared images of galactic masers. I. Association between infrared sources and masers
Testi L., Felli M., Persi P., Roth M. 634

(RN) Confrontation of theoretical tracks for post-AGB stars with observations of planetary nebulae
Tylenda R., Stasińska G. 897

Hot ammonia towards compact H II regions
Cesaroni R., Churchwell E., Hofner P., Walmsley C.M., Kurtz S. 903

Planetary nebulae and the helium-to-metals enrichment ratio
Chiappini C., Maciel W.J. 921

Dust in protostellar cores and stellar disks
Krügel E., Siebenmorgen R. 929

On the energetics of molecular cloud systems
Sotnikova N., Volkov E. 942

The Sun

The Maunder minimum: a mixed-parity dynamo mode?
Sokoloff D., Nesme-Ribes E. 293

A comparison of gamma-ray and radio emissions during the 11:42 UT solar flare on 1982 June 3
Trottet G., Chupp E.L., Marschhäuser H., Pick M., Soru-Escaut I., Rieger E., Dunphy P.P. 647

Inversion of bremsstrahlung spectra emitted by solar plasma
Piana M. 949

Dynamics of the solar granulation: bisector analysis
Hanslmeier A., Nesis A., Mattig W. 960

Low-frequency analysis of the sunspot cycles
Bölge H., Altaş L. 967

The solar system

Solar cycle and interplanetary hydrogen
Kyrölä E., Summanen T., Raâback P. 299

Methanol and hydrogen sulfide in comet P/Halley
Eberhardt P., Meier R., Krankowsky D., Hodges R.R. 315

On the frequency of interstellar meteoroids
Hajduková Jr. M. 330

New indications for the solar origin of the 50-day cycle in the atmospheric circulation and Earth's rotation
Djurovic D., Pâquet P., Billiau A. 335

A two-fluid model of the solar wind termination shock modified by shock-generated cosmic rays including energy losses
Chalov S.V., Fahr H.J. 973

Nonlinear excitation of Langmuir and Alfvén waves by auroral whistler waves in the planetary magnetosphere
Chian A.C.-L., Lopes S.R., Alves M.V. 981

Neptune's upper stratosphere, 1983–1990: ground-based stellar occultation observations. III. Temperature profiles
Roques F., Sicardy B., French R.G., Hubbard W.B., Barucci A., Bouchet P., Brahic A., Gehrels J.-A., Gehrels T., Grenier I., Lebertre T., Lecacheux J., Maillard J.P., McLaren R.A., Perrier C., Vilas F., Waterworth M.D. 985

Physical and chemical processes

Asymptotic formation of a current sheet in an indefinitely sheared force-free field: an analytical example
Aly J.J. 1012

Instruments, data processing, and computational methods

Image restoration with noise suppression using the wavelet transform
Starck J.-L., Murtagh F. 342

The MPE imaging beam combiner simulator COSI
Böker T., Cruzalèbes P., Hofmann R., Katterloher R., Eckart A., Genzel R., Drapatz S., von der Lühe O. 656

The optimum open fraction of coded apertures. With an application to the wide field X-ray cameras of SAX
in 't Zand J.J.M., Heise J., Jager R. 665

Estimation of visibility amplitude by optical long-baseline Michelson interferometry with large apertures
Mourard D., Tallon-Bosc I., Rigal F., Vakili F., Bonneau D., Morand F., Stee P. 675

Improvements to photometry. VI. Passbands and transformations
Young A.T. 683

An operator splitting method for line radiation with partial redistribution in atmospheres with shocks
Ulmschneider P. 1021

Preview of accepted papers (June 1994) 1027

Preview of accepted papers (July 1994) 1030

Abstracts of articles which have been published in A. & A. Suppl. Ser. 106, No. 1 1033

Dumbbell galaxies and multiple nuclei in rich clusters: radio data
Gregorini L., de Ruiter H.R., Parma P., Sadler E.M., Vettolani G., Ekers R.D. 1033

δ Scuti stars: a new revised list
Rodríguez E., López de Coca P., Rolland A., Garrido R., Costa V. 1033

Three-year monitoring of a sample of flat-spectrum radio sources at 327 MHz
Ghosh T., Gopal-Krishna, Rao A.P. 1033

A survey of diffuse interstellar bands (3800–8680 Å)
Jenniskens P., Désert F.-X. 1033

A new frequency analysis of photometric observations of the β Cephei star IL Velorum
Heynderickx D., Haug U. 1034

A search for OH emission from IRAS sources at high galactic latitudes
Slysh V.I., Dzura A.M., Val'tts I.E., Gerard E. 1034

Optical positions of 20 radio stars from astrolabe observations
Hui H., Dongming L., Rui W., Cuixian C. 1034

A new method for the determination of the population types of field stars
Karaali S. 1034

A 3.9 GHz survey for declination –1° to 0°
Larionov M.G., Parijskij Y.N., Zhuravlev V.I., Sidorenkov V.N., Berlin A.B., Nizhel'skii N.A. 1035

On the propagation of linear 3-D hydrodynamic waves in plane non-isothermal atmospheres
Schmitz F., Fleck B. 1035

Variability of luminous blue variables. I. Intermediate-band photometry
Spoon H.W.W., de Koter A., Sterken C., Lamers H.J.G.L.M., Stahl O. 1035